

A tutti gli espositori / A tutti gli allestitori

DISPOSIZIONI DI SICUREZZA RIGUARDANTI LE ATTIVITA' DI MONTAGGIO E SMONTAGGIO DI STRUTTURE ALLESTITIVE (Decreto Interministeriale del 22.7.2014)

Il Decreto Interministeriale 22 luglio 2014 (Decreto palchi e Fiere) ha dato attuazione all'art. 88, comma 2 bis D. lgs 81/08, che ha esteso alle manifestazioni fieristiche la disciplina contenuta nel titolo IV del D. lgs 81/08 relativo ai cantieri temporanei o mobili. Pertanto, tale disciplina si applica alle attività di montaggio e smontaggio di strutture allestitive, tendostrutture o opere temporanee per manifestazioni fieristiche, fatte salve le seguenti esclusioni:

a) strutture allestitive che abbiano un'altezza inferiore a 6,50 m rispetto ad un piano stabile;



$H < 6,50m$




$H \geq 6,50m$



Si applica il D.Lgs. 81/08 – TITOLO I		Si applica il D.Lgs. 81/08 – TITOLO IV	
Art. 26		Apertura pratica cantieristica	
Espositori →	Redazione DUVRI	Espositori →	Redazione PSC
Allestitori →	Redazione DVR	Allestitori →	Redazione POS

b) strutture allestitivo biplanari che abbiano una superficie della proiezione in pianta del piano superiore fino a $100m^2$;




 $A \leq 100m^2$

 $A > 100m^2$



Si applica il D.Lgs. 81/08 – TITOLO I		Si applica il D.Lgs. 81/08 – TITOLO IV	
Art. 26		Apertura pratica cantieristica	
Espositori 	Redazione DUVRI	Espositori 	Redazione PSC
Allestitori 	Redazione DVR	Allestitori 	Redazione POS

c) tendostrutture o opere temporanee strutturalmente indipendenti, realizzate con elementi prodotti da un unico fabbricante, montate secondo le indicazioni, le configurazioni e i carichi massimi, previsti dallo stesso, la cui altezza complessiva, compresi gli elementi di copertura direttamente collegati alla struttura di appoggio, non superi $8,50\text{ m}$ di altezza rispetto a un piano stabile.



$H < 8,50m$

$H \geq 8,50m$




Si applica il D.Lgs. 81/08 – TITOLO I		Si applica il D.Lgs. 81/08 – TITOLO IV	
Art. 26		Apertura pratica cantieristica	
Espositori 	Redazione DUVRI	Espositori 	Redazione PSC
Allestitori 	Redazione DVR	Allestitori 	Redazione POS

To all exhibitors / To all fitters

SAFETY PROVISIONS CONCERNING THE ASSEMBLY AND DISASSEMBLY OF FITTING STRUCTURES (Interministerial Decree of 07/22/2014)

The Interministerial Decree of 22 July 2014 implemented the art. 88, paragraph 2 bis of Legislative Decree 81/08, which extended to the exhibitions the discipline contained in Title IV of Legislative Decree 81/08 concerning temporary or mobile construction sites. Therefore, this regulation applies to the preparation and dismantling of exhibition structures, marquees or temporary works for trade fairs, subject to the following exclusions:

- a) fitting structures with a height of less than 6,50 m in relation to a stable floor;




$H < 6,50m$ $H \geq 6,50m$



Has to be applied the D.Lgs. 81/08 – TITOLO I		Has to be applied the D.Lgs. 81/08 – TITOLO IV	
Art. 26		Art.90	
Exhibitors →	Drafting the DUVRI	Exhibitors →	Drafting the PSC
Fitters →	Drafting the DVR	Fitters →	Drafting the POS

- b) two-storey fitting structures that have a floor plan projection surface of the upper floor (mezzanine) up to 100m²;



$A \leq 100m^2$



$A > 100m^2$



Has to be applied the D.Lgs. 81/08 – TITOLO I		Has to be applied the D.Lgs. 81/08 – TITOLO IV	
Art. 26		Art.90	
Exhibitors →	Deafting the DUVRI	Exhibitors →	Drafting the PSC
Fitters →	Drafting the DVR	Fitters →	Drafting the POS

c) tensile structures and temporary works structurally independent, made with elements produced by a single manufacturer, installed according to the indications, configurations and maximum loads, provided by the same, whose overall height, including the roof elements directly connected to the supporting structure, does not exceed 8.50 m in height compared to a stable floor.



$H < 8,50m$



$H \geq 8,50m$



Has to be applied the D.Lgs. 81/08 – TITOLO I		Has to be applied the D.Lgs. 81/08 – TITOLO IV	
Art. 26		Art.90	
Exhibitors	➡	Drafting DUVRI	
Fitters	➡	Drafting DVR	
Exhibitors	➡	Drafting PSC	
Fitters	➡	Drafting the POS	

DUVRI	The interference risk assessment document
DVR	Risk assessments and method statement
PSC	Site safety and coordination plan
POS	Site operation plan

For information, contact:
Exhibition Safety Service
E-mail: sicurezza.mostra@fieramilano.it